


Table S1: Clinical Diagnosis and Renal Histology

	NS (172)	AGN (54)	RPRF/ RPGN (144)	Asymptomatic Urine Abnormalities (16)	AKI (21)	CKD (2)
Primary GN						
MCD	40 (23.26%)	03 (5.56%)	06 (4.17%)	03 (18.75%)	-	-
FSGS	56 (32.56%)	03 (5.56%)	27 (18.75%)	02 (12.5%)	05 (23.81%)	01 (50%)
MGN	31 (18.02%)	01 (1.85%)	05 (3.47%)	01 (6.25%)	-	-
IgAN	02 (1.16%)	-	09 (6.25%)	01 (6.25%)	-	-
PIGN/IRGN	06 (3.49%)	05 (9.26%)	14 (9.72%)	01 (6.25%)	-	-
MPGN	03 (1.74%)	04 (7.4%)	11 (7.64%)	-	01 (4.76%)	-
MesPGN	06 (3.49%)	07 (12.96%)	04 (2.78%)	02 (12.5%)	01 (4.76%)	-
Crescentic GN	-	-	09 (6.25%)	03 (18.75%)	-	-
CSGN	01 (0.58%)	01 (1.85%)	32 (22.22%)	-	-	-
Secondary GN						
Amyloidosis	21 (12.21%)	-	04 (2.78%)	-	01 (4.76%)	01 (50%)
Lupus Nephritis	05 (2.91%)	27 (50%)	01 (0.69%)	02 (12.5%)	01 (4.76%)	-
DN	-	-		-	01 (4.76%)	-
RCN	-	-	01 (0.69%)	-	08 (38.10%)	-
HTN/NS	-	-	06 (4.17%)	-	-	-
Other GN	-	01 (1.85%)	-	01 (6.25%)	-	-
Tubulointerstitial Damage		2 (3.7%)	14 (9.7%)		3 (14.3%)	
Others	01 (0.58%)	-	01 (0.69%)	-	-	-

MCD=Minimal change disease; FSGS=focal segmental glomerulosclerosis; MGN= membranous nephropathy; IgAN=IgA nephropathy; PIGN/IRGN= post-infectious/infection related GN; MPGN= membranoproliferative GN (MPGN); MesPGN= mesangio-proliferative GN; CSGN= chronic sclerosing GN; LN= Lupus Nephritis;

DN=Diabetic Nephropathy; RCN= Renal Cortical Necrosis; HTN/NS= hypertensive nephrosclerosis; ATN= acute tubular necrosis; AIN= acute interstitial nephritis; CTIN= chronic tubule-interstitial nephritis (CTIN); NS= nephrotic syndrome; AGN=acute glomerulonephritis; CKD= chronic glomerulonephritis; RPRF/RPGN= rapidly progressive renal failure/glomerulonephritis



Figures S1: Clinical syndrome indicated for kidney biopsy AGN= acute glomerulonephritis, CKD= chronic glomerulonephritis; RPRF/RPGN= rapidly progressive renal failure/glomerulonephritis, AKI= acute kidney disease, AIN= acute interstitial nephritis, ATN= acute tubular necrosis, CKD=chronic kidney disease




Figure S2a: Population pyramid count of kidney disease pattern by Gender. **2b:** Population pyramid count of kidney disease based on Dialysis (MCD=Minimal change disease; FSGS=focal segmental glomerulosclerosis; MGN= membranous nephropathy; IgAN=IgA nephropathy; PIGN/IRGN= post-infectious/infection related GN; MPGN= membranoproliferative GN (MPGN); MesPGN= mesangio-proliferative GN; CSGN= chronic sclerosing GN; LN= Lupus Nephritis; DN=Diabetic Nephropathy; RCN= Renal Cortical Necrosis; HTN/NS= hypertensive nephrosclerosis; ATN= acute tubular necrosis; AIN= acute interstitial nephritis; CTIN= chronic tubule-interstitial nephritis (CTIN))