

Supplemental table 1: Univariate and Multivariate analysis of variables determining renal non recovery

Serial Number	Variable	Number of renal non-recovery Patients	Unadjusted Hazard ratio (95%CI)	Adjusted Hazard ratio (95%CI)	P- value
1.	Gender				
	A. Male	29	1.83 (1.07, 3.14)	1.47(0.84, 2.57)	0.18
	B. Female	25	-		
2.	Aetiology				
	A. Autoimmune disease	12	0.63 (0.33, 1.20)		
	B. Others	42			
3.	Hb at presentation(gm/dl)				
	A. >10	6	-		
	B. <10	48	1.50 (0.64, 3.52)		
4.	Platelet count at presentation (per mm3)				
	A. >100000	26	-		
	B. <100000	28	1.15 (0.67, 1.99)		
5.	Dialysis requirement at presentation				
		41			.007

	A. Yes B. No	13	3.38 (1.77, 6.46)	2.60(1.29, 5.25)	
6.	Fibrinoid necrosis A. Yes B. No	27 27	1.13 (0.65, 1.91) -		
7.	Arterial thrombosis A. Yes B. No	28 26	2.14 (1.23, 3.70) -	1.56(0.89, 2.85)	0.12
8.	GBM duplication A. Yes B. No	20 34	0.93(0.53, 1.63) -		
9.	Changes on biopsy A. Acute B. Chronic	42 12	- 1.32 (0.69, 2.51)		
10.	PLEX requirement A. Yes B. No	35 19	1.40 (0.80, 2.46) -		
11.	Treatment A. Without Immunosuppressant B. With Immunosuppressant	16 38	1.04 (0.58, 1.87) -		